

Notice of Product Discontinuation

From: Lawrence Li – Senior Product Manager, Cameras

Effective: January 10, 2018

Re: Product End of Life (EOL) – Avigilon H3 Camera Line

This notice outlines the Avigilon products that have been discontinued and the recommended replacement products. Recommended replacement products may have different specifications than the discontinued products. For more information on recommended replacements, review the H4A and H4 SL hardware datasheets.

Discontinued Products	Description	Replacement Products	Description
1.0-H3-B1	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	1.0C-H4A-B1	1.0 Megapixel (720p) WDR, LightCatcher™, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics
1.0-H3-B2	1.0 Megapixel (720p) Day/Night, 3-9mm f/1.2 P-iris lens	2.0C-H4A-B2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
1.0-H3-B3	1.0 Megapixel (720p) Day/Night, 9-22mm f/1.6 P-iris lens	3.0C-H4A-B3	3.0 Megapixel WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
1.0-H3-D1	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	1.3C-H4SL-D1	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4
		1.0C-H4A-D1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
1.0-H3-D1-IR	1.0 Megapixel (720p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	1.3C-H4SL-D1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR
		1.0C-H4A-D1-IR	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
1.0-H3-D2	1.0 Megapixel (720p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	1.0C-H4A-D2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
1.0-H3-DC1	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	1.3C-H4SL-D1 ¹	1.3 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4
		1.0C-H4A-DC1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
1.0-H3-DC2	1.0 Megapixel (720p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	1.0C-H4A-DC2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
1.0-H3-DO1	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	1.3C-H4SL-DO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR
		1.0C-H4A-DO1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics

¹ H4SL-MT-DCIL1 accessory is required

Discontinued Products	Description	Replacement Products	Description
1.0-H3-DO1-IR	1.0 Megapixel (720p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	1.3C-H4SL-DO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR
		1.0C-H4A-DO1-IR	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
1.0-H3-DO2	1.0 Megapixel (720p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	1.0C-H4A-DO2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
1.0-H3-DP1	1.0 Megapixel (720p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	1.3C-H4SL-DO1-IR ²	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR
		1.0C-H4A-DP1	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.
1.0-H3-DP2	1.0 Megapixel (720p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	1.0C-H4A-DP2	1.0 Megapixel (720p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.
1.0W-H3-BO1-IR	1.0 Megapixel (720p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	1.3C-H4SL-BO1-IR	1.3 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet, 3-9mm f/1.4, Integrated IR
		1.0C-H4A-BO1-IR	1.0 Megapixel (720p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
1.0W-H3-BO2-IR	1.0 Megapixel (720p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	1.0C-H4A-BO2-IR	1.0 Megapixel (720p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics
2.0-H3-B1	2.0 Megapixel (1080p) Day/Night, 4.7-84.6mm f/1.6 lens	2.0C-H4A-B1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 4.7-84.6mm f/1.6 lens, Self-Learning Video Analytics
2.0-H3-B2	2.0 Megapixel (1080p) Day/Night, 3-9mm f/1.2 P-iris lens	2.0C-H4A-B2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
2.0-H3-B3	2.0 Megapixel (1080p) Day/Night, 9-22mm f/1.6 P-iris lens	2.0C-H4A-B3	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
2.0-H3-D1	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	2.0C-H4SL-D1	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4
		2.0C-H4A-D1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics

² H4SL-MT-NPTA1 accessory is required

Discontinued Products	Description	Replacement Products	Description
2.0-H3-D1-IR	2.0 Megapixel (1080p) Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	2.0C-H4SL-D1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR
		2.0C-H4A-D1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
2.0-H3-D2	2.0 Megapixel (1080p) Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	2.0C-H4A-D2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
2.0-H3-DC1	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	2.0C-H4SL-D1 ¹	2.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4
		2.0C-H4A-DC1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
2.0-H3-DC2	2.0 Megapixel (1080p) Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	2.0C-H4A-DC2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
2.0-H3-DO1	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	2.0C-H4SL-DO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR
		2.0C-H4A-DO1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
2.0-H3-DO1-IR	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	2.0C-H4SL-DO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR
		2.0C-H4A-DO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
2.0-H3-DO2	2.0 Megapixel (1080p) Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	2.0C-H4A-DO2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
2.0-H3-DP1	2.0 Megapixel (1080p) Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	2.0C-H4SL-DO1-IR ²	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Dome, 3-9mm f/1.4, Integrated IR
		2.0C-H4A-DP1	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.

¹ H4SL-MT-DCIL1 accessory is required

² H4SL-MT-NPTA1 accessory is required

Discontinued Products	Description	Replacement Products	Description
2.0-H3-DP2	2.0 Megapixel (1080p) Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	2.0C-H4A-DP2	2.0 Megapixel (1080p) WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.
2.0W-H3-BO1-IR	2.0 Megapixel (1080p) WDR, 3-9mm f/1.2 P-iris lens, Integrated IR, Onboard storage	2.0C-H4SL-BO1-IR	2.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet, 3-9mm f/1.4, Integrated IR
		2.0C-H4A-BO1-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
2.0W-H3-BO2-IR	2.0 Megapixel (1080p) WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	2.0C-H4A-BO2-IR	2.0 Megapixel (1080p) WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics
3.0W-H3-B2	3.0 Megapixel WDR Day/Night, 3-9mm f/1.2 P-Iris lens	3.0C-H4A-B2	3.0 Megapixel WDR, LightCatcher, Day/Night, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
3.0W-H3-B3	3.0 Megapixel WDR Day/Night, 9-22mm f/1.6 P-iris lens	3.0C-H4A-B3	3.0 Megapixel WDR, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
3.0W-H3-BO1-IR	3.0 Megapixel WDR, 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	3.0C-H4SL-BO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor/Outdoor Bullet Camera, 3-9mm f/1.4, Integrated IR
		3.0C-H4A-BO1-IR	3.0 Megapixel WDR, LightCatcher, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
3.0W-H3-BO2-IR	3.0 Megapixel WDR, 9-22mm f/1.6 P-iris lens, Integrated IR, Onboard storage	3.0C-H4A-BO2-IR	3.0 Megapixel WDR, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics
3.0W-H3-D1	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	3.0C-H4SL-D1	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4
		3.0C-H4A-D1	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
3.0W-H3-D1-IR	3.0 Megapixel WDR Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	3.0C-H4SL-D1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4, Integrated IR
		3.0C-H4A-D1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
3.0W-H3-D2	3.0 Megapixel WDR Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	3.0C-H4A-D2	3.0 Megapixel WDR, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
3.0W-H3-DC1	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	3.0C-H4SL-D1 ¹	3.0 MP, WDR, LightCatcher, Day/Night, Indoor Dome, 3-9mm f/1.4
		3.0C-H4A-DC1	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics

¹ H4SL-MT-DCIL1 accessory is required

Discontinued Products	Description	Replacement Products	Description
3.0W-H3-DC2	3.0 Megapixel WDR Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	3.0C-H4A-DC2	3.0 Megapixel WDR, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
3.0W-H3-DO1	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	3.0C-H4SL-DO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.4, Integrated IR
		3.0C-H4A-DO1	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics
3.0W-H3-DO1-IR	3.0 Megapixel WDR Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	3.0C-H4SL-DO1-IR	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.4, Integrated IR
		3.0C-H4A-DO1-IR	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.3 P-iris lens, Integrated IR, Self-Learning Video Analytics
3.0W-H3-DO2	3.0 Megapixel WDR Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	3.0C-H4A-DO2	3.0 Megapixel WDR, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
3.0W-H3-DP1	3.0 Megapixel WDR Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	3.0C-H4SL-DO1-IR ²	3.0 MP, WDR, LightCatcher, Day/Night, Outdoor Dome, 3-9mm f/1.4, Integrated IR
		3.0C-H4A-DP1	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 3-9mm f/1.3 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.
3.0W-H3-DP2	3.0 Megapixel WDR Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	3.0C-H4A-DP2	3.0 Megapixel WDR, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.
5.0-H3-B2	5.0 Megapixel Day/Night 3-9mm f/1.2 P-Iris lens	5.0L-H4A-B2	5.0 Megapixel, LightCatcher, Day/Night, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics
5.0-H3-B3	5.0 Megapixel Day/Night, 9-22mm f/1.6 P-iris lens	5.0L-H4A-B3	5.0 Megapixel, LightCatcher, Day/Night, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
5.0-H3-BO1-IR	5.0 Megapixel 3-9mm f/1.2 P-Iris lens, Integrated IR, Onboard storage	5.0L-H4A-BO1-IR	5.0 Megapixel, LightCatcher, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics
5.0-H3-BO2-IR	5.0 Megapixel 9-22mm f/1.6 P-Iris lens, Integrated IR, Onboard storage	5.0L-H4A-BO2-IR	5.0 Megapixel, LightCatcher, 9-22mm f/1.6 P-iris lens, Integrated IR, Self-Learning Video Analytics
5.0-H3-D1	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens	5.0L-H4A-D1	5.0 Megapixel, LightCatcher, 4.3-8mm f/1.8 P-iris lens, Indoor Dome, Self-Learning Video Analytics

² H4SL-MT-NPTA1 accessory is required

Discontinued Products	Description	Replacement Products	Description
5.0-H3-D1-IR	5.0 Megapixel Day/Night Indoor Dome, 3-9mm f/1.2 P-iris lens, IR illuminator	5.0L-H4A-D1-IR	5.0 Megapixel, LightCatcher, Indoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics
5.0-H3-D2	5.0 Megapixel Day/Night Indoor Dome, 9-22mm f/1.6 P-iris lens	5.0L-H4A-D2	5.0 Megapixel, LightCatcher, Day/Night, Indoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
5.0-H3-DC1	5.0 Megapixel Day/Night In-Ceiling Dome, 3-9mm f/1.2 P-iris lens	5.0L-H4A-DC1	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics
5.0-H3-DC2	5.0 Megapixel Day/Night In-Ceiling Dome, 9-22mm f/1.6 P-iris lens	5.0L-H4A-DC2	5.0 Megapixel, LightCatcher, Day/Night, In-Ceiling Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
5.0-H3-DO1	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens	5.0L-H4A-DO1	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics
5.0-H3-DO1-IR	5.0 Megapixel Day/Night Outdoor Dome, 3-9mm f/1.2 P-iris lens, IR Illuminator	5.0L-H4A-DO1-IR	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 4.3-8mm f/1.8 P-iris lens, Integrated IR, Self-Learning Video Analytics
5.0-H3-DO2	5.0 Megapixel Day/Night Outdoor Dome, 9-22mm f/1.6 P-iris lens	5.0L-H4A-DO2	5.0 Megapixel, LightCatcher, Day/Night, Outdoor Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics
5.0-H3-DP1	5.0 Megapixel Day/Night Pendant Dome, 3-9mm f/1.2 P-iris lens	5.0L-H4A-DP1	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 4.3-8mm f/1.8 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.
5.0-H3-DP2	5.0 Megapixel Day/Night Pendant Dome, 9-22mm f/1.6 P-iris lens	5.0L-H4A-DP2	5.0 Megapixel, LightCatcher, Day/Night, Pendant Dome, 9-22mm f/1.6 P-iris lens, Self-Learning Video Analytics. Must use with a H4A-MT-WALL1 or H4A-MT-NPTA1.

Discontinued Products	Description	Replacement Products	Description
MNT-AD-CORNER	Corner mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	H4-MT-CRNR1	Corner mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras
MNT-AD-POLE-B	Pole mount adapter for use with MNT-PEND-WALL, H3-BO-JB or HD Bullet Camera	H4-MT-POLE1	Pole mount adapter for use with H4A-MT-WALL1, H4-BO-JBOX1, H4SL, H4F and H4 PTZ cameras

Reason for End of Life

The existing products have been consolidated into the existing H4 HD cameras with self-learning video analytics (H4A) and H4 SL camera product lines. To learn more about Avigilon camera solutions visit <http://avigilon.com/products/video-surveillance/cameras/>.

Last Order Date

Discontinued Products will be available for sale while supplies last.

Last Ship Date

Discontinued Products ordered will continue to ship while supplies last and are expected to be available until June 30, 2018.

RMA and Warranty Policy on Discontinued Products

If the failure of an above listed Discontinued Product occurs while the product is under warranty and such failure is covered by the warranty, Avigilon will replace the failed unit with the Discontinued Products or the listed Replacement Product as an alternative.

Please refer to Avigilon Warranty and Product Policies for more details: <http://avigilon.com/warranty>.

Support Policy

Avigilon will continue to support the above listed Discontinued Products for 5 years after the date of shipment.

The following field replacement accessories will also continue to be available until June 30, 2023.

Replacement Accessories	Description
H3-D-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for indoor domes
H3-DOP-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for outdoor and pendant domes
H3-DC-CLEAR	Replacement clear transparent cover, includes dome bubble and camera cover for in-ceiling domes
H3-DC-PNL	Metal ceiling panel for use with H3-DC in-ceiling dome cameras to replace or reinforce the existing ceiling tile in suspended ceiling installations
H3-D-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for indoor domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.
H3-DOP-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for outdoor and pendant domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications or with the integrated IR illuminator.
H3-DC-SMOKE	Replacement smoked transparent cover, includes dome bubble and camera cover for in-ceiling domes. Reduces light transmission by 50% compared to the standard clear cover. Not recommended for low light applications.
MNT-PEND-WALL	Compact wall bracket for use with H3PTZ-DP and H3-DP Pendant Dome Cameras
H3-BO-SHLD1	Replacement sun shield for H3 Bullet cameras
H3-BO-JB	Junction box for the H3-BO-IR HD Bullet Cameras